

ANALYTICAL REPORT

Job Number: 420-195555-1

SDG Number: New Paltz High School

Job Description: Ulster BOCES

For:
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Attention: Christy Fischer



Designee for
Meredith W Ruthven
Customer Service Manager
mruthven@envirotestlaboratories.com
06/24/2021

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories LLC certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative. All services performed by EnviroTest Laboratories LLC are subject to our Terms and Conditions available at Envirotestlabs/terms.com. As of 12/23/19, EnviroTest Laboratories LLC acquired substantially all of the lab and testing assets of EnviroTest Laboratories Inc, including its name.

EnviroTest Laboratories, LLC. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

METHOD SUMMARY

Client: Ulster BOCES

Job Number: 420-195555-1
SDG Number: New Paltz High School

Description	Lab Location	Method	Preparation Method
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200.7/200.8

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

METHOD / ANALYST SUMMARY

Client: Ulster BOCES

Job Number: 420-195555-1
SDG Number: New Paltz High School

Method	Analyst	Analyst ID
EPA 200.8 Rev.5.4	Luis, Carlos	CL

SAMPLE SUMMARY

Client: Ulster BOCES

Job Number: 420-195555-1
SDG Number: New Paltz High School

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-195555-1	Kitchen Sink by Office	Drinking Water	04/13/2021 0705	04/20/2021 1131
420-195555-2	Kitchen Sink by Walk in	Drinking Water	04/13/2021 0707	04/20/2021 1131
420-195555-3	Dishroom Sink #1	Drinking Water	04/13/2021 0707	04/20/2021 1131
420-195555-4	Dishroom Sink #2	Drinking Water	04/13/2021 0707	04/20/2021 1131
420-195555-5	Dishroom Sink #3	Drinking Water	04/13/2021 0707	04/20/2021 1131
420-195555-6	Cafe Fountain 1	Drinking Water	04/13/2021 0711	04/20/2021 1131
420-195555-7	Cafe Fountain 2	Drinking Water	04/13/2021 0711	04/20/2021 1131
420-195555-8	Room 103 Sink 1	Drinking Water	04/13/2021 0715	04/20/2021 1131
420-195555-9	Room 103 Sink 2	Drinking Water	04/13/2021 0716	04/20/2021 1131
420-195555-10	Room 180 Sink	Drinking Water	04/13/2021 0718	04/20/2021 1131
420-195555-11	Girls Rm 184W Sink 1	Drinking Water	04/13/2021 0720	04/20/2021 1131
420-195555-12	Girls Rm 184W Sink 2	Drinking Water	04/13/2021 0720	04/20/2021 1131
420-195555-13	Girls Rm 184W Sink 3	Drinking Water	04/13/2021 0720	04/20/2021 1131
420-195555-14	Boys Rm 184M Sink 1	Drinking Water	04/13/2021 0721	04/20/2021 1131
420-195555-15	Boys Rm 184M Sink 2	Drinking Water	04/13/2021 0721	04/20/2021 1131
420-195555-16	Boys Rm 184M Sink 3	Drinking Water	04/13/2021 0721	04/20/2021 1131
420-195555-17	Fountain 1 Outside Rm 184	Drinking Water	04/13/2021 0723	04/20/2021 1131
420-195555-18	Fountain 2 Outside Rm 184	Drinking Water	04/13/2021 0721	04/20/2021 1131
420-195555-19	Water Fountain Main Office	Drinking Water	04/13/2021 0726	04/20/2021 1131
420-195555-20	Faculty Women's Rm 179W Sink	Drinking Water	04/13/2021 0727	04/20/2021 1131
420-195555-21	Men's Faculty Rm 179M Sink	Drinking Water	04/13/2021 0727	04/20/2021 1131
420-195555-22	Water Fountain 1 Outside Rm 165	Drinking Water	04/13/2021 0731	04/20/2021 1131
420-195555-23	Water Fountain 2 Outside Rm 165	Drinking Water	04/13/2021 0731	04/20/2021 1131
420-195555-24	Hom Ec Rm 213 Sink 1	Drinking Water	04/13/2021 0737	04/20/2021 1131
420-195555-25	Hom Ec Rm 213 Sink 2	Drinking Water	04/13/2021 0737	04/20/2021 1131
420-195555-26	Hom Ec Rm 213 Sink 3	Drinking Water	04/13/2021 0738	04/20/2021 1131
420-195555-27	Hom Ec Rm 213 Sink 4	Drinking Water	04/13/2021 0738	04/20/2021 1131
420-195555-28	Rm 209 Office Sink	Drinking Water	04/13/2021 0742	04/20/2021 1131
420-195555-29	Faculty Men's Room 204M Sink	Drinking Water	04/13/2021 0743	04/20/2021 1131
420-195555-30	Faculty Woen's Room 204W Sink	Drinking Water	04/13/2021 0744	04/20/2021 1131
420-195555-31	116A Girls Bath Sink 1	Drinking Water	04/13/2021 0707	04/20/2021 1131
420-195555-32	116A Girls Bath Sink 2	Drinking Water	04/13/2021 0707	04/20/2021 1131
420-195555-33	116A Girls Bath Sink 3	Drinking Water	04/13/2021 0707	04/20/2021 1131
420-195555-34	116A Girls Bath Sink 4	Drinking Water	04/13/2021 0707	04/20/2021 1131
420-195555-35	116B Boys Bath Sink 1	Drinking Water	04/13/2021 0709	04/20/2021 1131
420-195555-36	116B Boys Bath Sink 2	Drinking Water	04/13/2021 0709	04/20/2021 1131
420-195555-37	116B Boys Bath Sink 3	Drinking Water	04/13/2021 0709	04/20/2021 1131
420-195555-38	Bottle Fill Outside 116A	Drinking Water	04/13/2021 0711	04/20/2021 1131
420-195555-39	Water Cooler Outside 116A	Drinking Water	04/13/2021 0711	04/20/2021 1131
420-195555-40	Bottle Fill Outside 116B	Drinking Water	04/13/2021 0711	04/20/2021 1131
420-195555-41	Water Cooler Outside 116B	Drinking Water	04/13/2021 0711	04/20/2021 1131

SAMPLE SUMMARY

Client: Ulster BOCES

Job Number: 420-195555-1
SDG Number: New Paltz High School

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-195555-42	Nurse's Office Small Bath Sink	Drinking Water	04/13/2021 0712	04/20/2021 1131
420-195555-43	Nurse's Office Sink	Drinking Water	04/13/2021 0712	04/20/2021 1131
420-195555-44	Nurse's Office Large Bath Sink	Drinking Water	04/13/2021 0713	04/20/2021 1131
420-195555-45	Boys Locker Rm Sink by Entrance	Drinking Water	04/13/2021 0717	04/20/2021 1131
420-195555-46	Boys Locker Rm Sink 1 by Storage	Drinking Water	04/13/2021 0718	04/20/2021 1131
420-195555-47	Boys Locker Rm Sink 2 by Storage	Drinking Water	04/13/2021 0718	04/20/2021 1131
420-195555-48	Boys Locker Rm Office Bath Sink	Drinking Water	04/13/2021 0718	04/20/2021 1131
420-195555-49	Boys Locker Rm Coaches Locker Rm Sink	Drinking Water	04/13/2021 0719	04/20/2021 1131
420-195555-50	Girls Locker Rm Sink 1	Drinking Water	04/13/2021 0721	04/20/2021 1131
420-195555-51	Girls Locker Rm Sink 2	Drinking Water	04/13/2021 0721	04/20/2021 1131
420-195555-52	Girls Locker Rm Bubbler	Drinking Water	04/13/2021 0722	04/20/2021 1131
420-195555-53	Girls Locker Rm Office Bath Sink	Drinking Water	04/13/2021 0723	04/20/2021 1131
420-195555-54	Bottle Fill Outside 134	Drinking Water	04/13/2021 0725	04/20/2021 1131
420-195555-55	Water Cooler Outside 134	Drinking Water	04/13/2021 0725	04/20/2021 1131
420-195555-56	132 Sink	Drinking Water	04/13/2021 0727	04/20/2021 1131
420-195555-57	Water Cooler Outside 142 on Left	Drinking Water	04/13/2021 0728	04/20/2021 1131
420-195555-58	Water Cooler Outside 142 on Right	Drinking Water	04/13/2021 0728	04/20/2021 1131
420-195555-59	146M Bath Sink	Drinking Water	04/13/2021 0729	04/20/2021 1131
420-195555-60	148W Bath Sink	Drinking Water	04/13/2021 0730	04/20/2021 1131
420-195555-61	216W Sink 1	Drinking Water	04/13/2021 0736	04/20/2021 1131
420-195555-62	216W Sink 4	Drinking Water	04/13/2021 0737	04/20/2021 1131
420-195555-63	Water Cooler Outside 216A	Drinking Water	04/13/2021 0737	04/20/2021 1131
420-195555-64	216M Sink 1	Drinking Water	04/13/2021 0738	04/20/2021 1131
420-195555-65	216M Sink 2	Drinking Water	04/13/2021 0738	04/20/2021 1131
420-195555-66	216M Sink 3	Drinking Water	04/13/2021 0739	04/20/2021 1131
420-195555-67	232 Sink	Drinking Water	04/13/2021 0742	04/20/2021 1131

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Kitchen Sink by Office
Lab Sample ID: 420-195555-1

Date Sampled: 04/13/2021 0705
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1728	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	1.9	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Kitchen Sink by Walk in
Lab Sample ID: 420-195555-2

Date Sampled: 04/13/2021 0707
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1741	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	1.5	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Dishroom Sink #1
Lab Sample ID: 420-195555-3

Date Sampled: 04/13/2021 0707
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1743	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	3.7	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Dishroom Sink #2
Lab Sample ID: 420-195555-4

Date Sampled: 04/13/2021 0707
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1745	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	3.6	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Dishroom Sink #3
Lab Sample ID: 420-195555-5

Date Sampled: 04/13/2021 0707
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1747	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	3.4	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Cafe Fountain 1
Lab Sample ID: 420-195555-6

Date Sampled: 04/13/2021 0711
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1749	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Cafe Fountain 2
Lab Sample ID: 420-195555-7

Date Sampled: 04/13/2021 0711
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1752	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Room 103 Sink 1
Lab Sample ID: 420-195555-8

Date Sampled: 04/13/2021 0715
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1800	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	40	g	ug/L	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Room 103 Sink 2
Lab Sample ID: 420-195555-9

Date Sampled: 04/13/2021 0716
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1803	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	19 g	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Room 180 Sink
Lab Sample ID: 420-195555-10

Date Sampled: 04/13/2021 0718
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1805	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	37	g	ug/L	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Girls Rm 184W Sink 1
Lab Sample ID: 420-195555-11

Date Sampled: 04/13/2021 0720
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1807	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	6.8	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Girls Rm 184W Sink 2
Lab Sample ID: 420-195555-12

Date Sampled: 04/13/2021 0720
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1809	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	4.9	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Girls Rm 184W Sink 3
Lab Sample ID: 420-195555-13

Date Sampled: 04/13/2021 0720
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1811	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	4.9	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Boys Rm 184M Sink 1
Lab Sample ID: 420-195555-14

Date Sampled: 04/13/2021 0721
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1813	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	5.1	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Boys Rm 184M Sink 2
Lab Sample ID: 420-195555-15

Date Sampled: 04/13/2021 0721
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1816	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	5.7	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Boys Rm 184M Sink 3
Lab Sample ID: 420-195555-16

Date Sampled: 04/13/2021 0721
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1818	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	6.7	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Fountain 1 Outside Rm 184
Lab Sample ID: 420-195555-17

Date Sampled: 04/13/2021 0723
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1820	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	3.8	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Fountain 2 Outside Rm 184
Lab Sample ID: 420-195555-18

Date Sampled: 04/13/2021 0721
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1552	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1554	
Pb	3.0	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Water Fountain Main Office
Lab Sample ID: 420-195555-19

Date Sampled: 04/13/2021 0726
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1833	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Faculty Women's Rm 179W Sink
Lab Sample ID: 420-195555-20

Date Sampled: 04/13/2021 0727
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1835	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	4.9	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Men's Faculty Rm 179M Sink
Lab Sample ID: 420-195555-21

Date Sampled: 04/13/2021 0727
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1837	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Water Fountain 1 Outside Rm 165
Lab Sample ID: 420-195555-22

Date Sampled: 04/13/2021 0731
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1840	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Water Fountain 2 Outside Rm 165
Lab Sample ID: 420-195555-23

Date Sampled: 04/13/2021 0731
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1842	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Hom Ec Rm 213 Sink 1
Lab Sample ID: 420-195555-24

Date Sampled: 04/13/2021 0737
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1844	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	16	g	ug/L	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Hom Ec Rm 213 Sink 2
Lab Sample ID: 420-195555-25

Date Sampled: 04/13/2021 0737
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1846	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	75	g	ug/L	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Hom Ec Rm 213 Sink 3
Lab Sample ID: 420-195555-26

Date Sampled: 04/13/2021 0738
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1853	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	10	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Hom Ec Rm 213 Sink 4
Lab Sample ID: 420-195555-27

Date Sampled: 04/13/2021 0738
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1855	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	3.4	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Rm 209 Office Sink
Lab Sample ID: 420-195555-28

Date Sampled: 04/13/2021 0742
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1857	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	3.7	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Faculty Men's Room 204M Sink
Lab Sample ID: 420-195555-29

Date Sampled: 04/13/2021 0743
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1901	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	13	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Faculty Woen's Room 204W Sink
Lab Sample ID: 420-195555-30

Date Sampled: 04/13/2021 0744
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1904	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	4.4	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: 116A Girls Bath Sink 1
Lab Sample ID: 420-195555-31

Date Sampled: 04/13/2021 0707
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1906	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	5.6	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: 116A Girls Bath Sink 2
Lab Sample ID: 420-195555-32

Date Sampled: 04/13/2021 0707
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1908	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	3.2	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: 116A Girls Bath Sink 3
Lab Sample ID: 420-195555-33

Date Sampled: 04/13/2021 0707
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1910	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	3.4	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: 116A Girls Bath Sink 4
Lab Sample ID: 420-195555-34

Date Sampled: 04/13/2021 0707
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1912	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	2.1	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: 116B Boys Bath Sink 1
Lab Sample ID: 420-195555-35

Date Sampled: 04/13/2021 0709
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1919	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	5.9	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: 116B Boys Bath Sink 2
Lab Sample ID: 420-195555-36

Date Sampled: 04/13/2021 0709
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1921	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	8.5	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: 116B Boys Bath Sink 3
Lab Sample ID: 420-195555-37

Date Sampled: 04/13/2021 0709
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1923	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	11	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Bottle Fill Outside 116A
Lab Sample ID: 420-195555-38

Date Sampled: 04/13/2021 0711
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1925	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Water Cooler Outside 116A
Lab Sample ID: 420-195555-39

Date Sampled: 04/13/2021 0711
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1928	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Bottle Fill Outside 116B
Lab Sample ID: 420-195555-40

Date Sampled: 04/13/2021 0711
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1930	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	1.4	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Water Cooler Outside 116B
Lab Sample ID: 420-195555-41

Date Sampled: 04/13/2021 0711
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1934	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	5.0	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Nurse's Office Small Bath Sink
Lab Sample ID: 420-195555-42

Date Sampled: 04/13/2021 0712
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1936	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	5.6	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Nurse's Office Sink
Lab Sample ID: 420-195555-43

Date Sampled: 04/13/2021 0712
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1938	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	2.6	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Nurse's Office Large Bath Sink
Lab Sample ID: 420-195555-44

Date Sampled: 04/13/2021 0713
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1945	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	1.2	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Boys Locker Rm Sink by Entrance
Lab Sample ID: 420-195555-45

Date Sampled: 04/13/2021 0717
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1947	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	2.9	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Boys Locker Rm Sink 1 by Storage
Lab Sample ID: 420-195555-46

Date Sampled: 04/13/2021 0718
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1949	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	17	g	ug/L	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Boys Locker Rm Sink 2 by Storage
Lab Sample ID: 420-195555-47

Date Sampled: 04/13/2021 0718
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1952	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	15 g	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Boys Locker Rm Office Bath Sink
Lab Sample ID: 420-195555-48

Date Sampled: 04/13/2021 0718
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1954	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	9.4	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Boys Locker Rm Coaches Locker Rm Sink
Lab Sample ID: 420-195555-49

Date Sampled: 04/13/2021 0719
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1956	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	2.3	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Girls Locker Rm Sink 1
Lab Sample ID: 420-195555-50

Date Sampled: 04/13/2021 0721
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 2005	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	8.5	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Girls Locker Rm Sink 2
Lab Sample ID: 420-195555-51

Date Sampled: 04/13/2021 0721
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/21/2021 0348	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	15	g	ug/L	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Girls Locker Rm Bubbler
Lab Sample ID: 420-195555-52

Date Sampled: 04/13/2021 0722
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1554	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1554	
Pb	310	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Girls Locker Rm Office Bath Sink
Lab Sample ID: 420-195555-53

Date Sampled: 04/13/2021 0723
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/21/2021 0350	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	2.8	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Bottle Fill Outside 134
Lab Sample ID: 420-195555-54

Date Sampled: 04/13/2021 0725
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4				Date Analyzed: 06/21/2021 0352	
Prep Method: 200.7/200.8				Date Prepared: 06/17/2021 1045	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Water Cooler Outside 134
Lab Sample ID: 420-195555-55

Date Sampled: 04/13/2021 0725
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/21/2021 0355	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	1.0 U	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: 132 Sink
Lab Sample ID: 420-195555-56

Date Sampled: 04/13/2021 0727
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/21/2021 0357	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	4.7	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Water Cooler Outside 142 on Left
Lab Sample ID: 420-195555-57

Date Sampled: 04/13/2021 0728
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/21/2021 0359	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	6.1	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Water Cooler Outside 142 on Right
Lab Sample ID: 420-195555-58

Date Sampled: 04/13/2021 0728
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/21/2021 0401	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	12	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: 146M Bath Sink
Lab Sample ID: 420-195555-59

Date Sampled: 04/13/2021 0729
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/21/2021 0403	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	3.0	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: 148W Bath Sink
Lab Sample ID: 420-195555-60

Date Sampled: 04/13/2021 0730
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/21/2021 0406	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	3.9	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: 216W Sink 1
Lab Sample ID: 420-195555-61

Date Sampled: 04/13/2021 0736
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/21/2021 0414	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	22 g	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: 216W Sink 4
Lab Sample ID: 420-195555-62

Date Sampled: 04/13/2021 0737
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/21/2021 0416	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	10	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: Water Cooler Outside 216A
Lab Sample ID: 420-195555-63

Date Sampled: 04/13/2021 0737
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/21/2021 0419	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	10	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: 216M Sink 1
Lab Sample ID: 420-195555-64

Date Sampled: 04/13/2021 0738
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/21/2021 0421	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	11	ug/L	1.0	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: 216M Sink 2
Lab Sample ID: 420-195555-65

Date Sampled: 04/13/2021 0738
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/21/2021 0423	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	24	g	ug/L	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: 216M Sink 3
Lab Sample ID: 420-195555-66

Date Sampled: 04/13/2021 0739
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/21/2021 0425	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	20	g	ug/L	1.0	1.0

Christy Fischer
Ulster BOCES
175 Route 32 North
New Paltz, NY 12561

Job Number: 420-195555-1
Sdg Number: New Paltz High School

Client Sample ID: 232 Sink
Lab Sample ID: 420-195555-67

Date Sampled: 04/13/2021 0742
Date Received: 04/20/2021 1131
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/21/2021 0427	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1045	
Pb	3.5	ug/L	1.0	1.0	1.0

DATA REPORTING QUALIFIERS

Client: Ulster BOCES

Job Number:
Sdg Number: New Paltz High School

Lab Section	Qualifier	Description
Metals		
	g	Result fails applicable NYS drinking water standards
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Certification Information

Client: Ulster BOCES

Job Number:

Sdg Number: New Paltz High School

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Solids (Fixed), Solids (Percent), Solids (Percent Moisture), Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), COD (Soluble), Total Inorganic Carbon, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, 1,2,4,5-Tetramethylbenzene, 4-Ethyl toluene, p-Diethylbenzene, Iron Bacteria, Salmonella, Sulfur Reducing Bacteria, & UOD (Ultimate Oxygen Demand).

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Ammonia (SM 4500NH3G), Biochemical Oxygen Demand (SM 5210B), Chemical Oxygen Demand (EPA 410.4), Dissolved Oxygen (SM 4500 O C), TKN (351.2), Phosphorus (365.3), Nitrate-Nitrite (353.2), Setttable Solids (SM 2540F), Total Suspended Solids (SM 2540 C), m-Xylene & p-Xylene (502.2, 524), o-Xylene (502.2, 524), Sulfide (SM4500SD), Acenaphthene (525.2), Acenaphthylene (525.2), Fluoranthene (525.2), Fluorene (525.2), Phenanthrene (525.2), Anthracene (525.2), Pyrene (525.2), Benzo[a]anthracene (525.2), Benzo[b]fluoranthene (525.2), Benzo[g,h,i]perylene (525.2), Benzo[k]fluoranthene (525.2), Indeno[1,2,3-cd]pyrene (525.2), & Dibenz(a,h)anthracene (525.2). Pyridine

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), MCPA (8151A).

Definitions and Glossary

Client: Ulster BOCES

Job Number:

Sdg Number: New Paltz High School

<u>Abbreviation</u>	<u>These commonly used abbreviations may or may not be present in this report.</u>
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

EnviroTest Laboratories, LLC

315 Fullerton Avenue
Newburgh, NY 12550
Phone (845) 562-0890 Fax (845) 562-0841

Chain of Custody Record



Client Information		Sampler: C Fischer/G Gardner		Lab PM:		Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):		JOB #: 195551 & 5			
Client Contact: C Fischer		Phone: 845 255-1400 X1361		E-Mail:							
Company: New Paltz Central School District C/OUlster BOCES				Analysis Requested				Page: Page 1 of 5			
Address: 196 Main Street		Due Date Requested:		Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) Chlorine Present (Yes or No) Lead (DW 200.8)		Total Number of Containers		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - H2SO4 F - MeOH G - NH4CL H - Ascorbic Acid I - Ice J - DI Water K - Sodium Thiosulfate L - EDA M - Sodium Sulfite N - None O - MCAA P - Other (specify)			
City: New Paltz		TAT Requested (days):						Other:		Upon Receipt Preservation verified: Y / N	
State, Zip: NY, 12561		PO #:						Special Instructions/Note:			
Phone: 845-255-1400 X1361		PWS #:									
Email: cfischer@ulsterbores.org		Project #:									
Project Name: Ulster BOCES		Additional Contacts: Please Email Results to both: & ggardner@newpaltz.k12.ny.us									
Site: New Paltz High School cfischer@ulsterbores.org											
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (DW= drinking water, W=water, S=solid, O=waste/oil)			
Client ID (Lab ID)											
Kitchen Sink by Office		4/13/21		705		G DW		X			
Kitchen Sink by Walk in		4/13/21		707		G DW		X			
Dishroom Sink # 1		4/13/21		707		G DW		X			
Dish Room Sink #2		4/13/21		707		G DW		X			
Dish Room Sink #3		4/13/21		707		G DW		X			
Café Fountain 1		4/13/21		711		G DW		X			
Café Fountain 2		4/13/21		711		G DW		X			
Room 103 Sink 1		4/13/21		715		G DW		X			
Room 103 Sink 2		4/13/21		716		G DW		X			
Room 180 Sink		4/13/21		718		G DW		X			
Girls Rm 184W Sink 1		4/13/21		720		G DW		X			
Girls Rm 184W Sink 2		4/13/21		720		G DW		X			
Girls Rm 184W Sink 3		4/13/21		720		G DW		X			
Boys Rm 184M Sink 1		4/13/21		721		G DW		X			
Boys Rm 184M Sink 2		4/13/21		721		G DW		X			
Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle Container Type P								Container Size 2			
Size Code: 1=Liter, 2=250 mL, 3=125 mL, 4=40 mL, 5=Gallon, 6=Half Gallon, 7=Other Container Size 2											
Preservation Added Upon Receipt:				Date:		Time:		Sample # (s):			
Manufacturer/Lot #:											
Relinquished by: <i>[Signature]</i>		Date/Time: 4/20/21 1131		Company: <i>[Signature]</i>		Received by: <i>[Signature]</i>		Date/Time: 4/20/21 1131			
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:			
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:			
ICE Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Cooler Temperature(s) °C/ IR GUN #: 22.8 °C		06/24/2021			



420-195555-B-1
Kitchen Sink by Office
Date Sampled: 4/13/2021 420-1671240

EnviroTest Laboratories, LLC

315 Fullerton Avenue
 Newburgh, NY 12550
 Phone (845) 562-0890 Fax (845) 562-0841

Chain of Custody Record



Client Information		Sampler: C Fischer/G Gardner		Lab PM:		Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):		JOB #: 195555 2&S	
Client Contact: C Fischer		Phone: 845 255-1400 X1361		E-Mail:					
Company: New Paltz Central School District C/OUlster BOCES				Analysis Requested				Page: Page 2 of 5	
Address: 196 Main Street		Due Date Requested:						Preservation Codes:	
City: New Paltz		TAT Requested (days):		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		Chlorine Present (Yes or No)	
State, Zip: NY, 12561		PO #:							
Phone: 845-255-1400 X1361		PWS #:		Other:		Upon Receipt Preservation verified: Y / N			
Email: cfischer@ulsterboces.org		Project #:						Special Instructions/Note:	
Project Name: Ulster BOCES		Additional Contacts: Please Email Results to both: & ggardner@newpaltz.k12.ny.us		Sample Identification		Client ID (Lab ID)			
Site: New Paltz High School cfischer@ulsterboces.org								Sample Time	
				Preservation Code:		Boys Rm 184M Sink 3			
								721	
				X		Fountain 1 Outside Rm 184			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		737			
								X	
				X		737			
								X	
				X		737			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			
								X	
				X		DW			

EnviroTest Laboratories, LLC

315 Fullerton Avenue
 Newburgh, NY 12550
 Phone (845) 562-0890 Fax (845) 562-0841

Chain of Custody Record



Client Information		Sampler: C Fischer/G Gardner		Lab PM:		Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):		JOB #: 145555 3 & 5			
Client Contact: C Fischer		Phone: 845 255-1400 X1361		E-Mail:							
Company: New Paltz Central School District C/OUlster BOCES				Analysis Requested						Page: Page 3 of 5	
Address: 196 Main Street		Due Date Requested:		Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) Chlorine Present (Yes or No) Lead (DW 200.8)				Total Number of containers		Preservation Codes: A - HCL L - EDA B - NaOH M - Sodium Sulfite C - Zn Acetate D - Nitric Acid N - None E - H2SO4 O - MCAA F - MeOH P - Other (specify) G - NH4CL H - Ascorbic Acid I - Ice J - DI Water K - Sodium Thiosulfate Other: Upon Receipt Preservation verified: Y / N	
City: New Paltz		TAT Requested (days):									
State, Zip: NY, 12561											
Phone: 845-255-1400 X1361		PO #:									
Email: cfischer@ulsterboces.org		PWS #:									
Project Name: Ulster BOCES		Project #:									
Site: New Paltz High School		Additional Contacts: Please Email Results to both: cfischer@ulsterboces.org & ggardner@newpaltz.k12.ny.us									
Sample Identification Client ID (Lab ID)		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (DW= drinking water, W=water, S=solid, O=waste/oil)						
116A Girls Bath Sink 1		4/13/21	707	G	DW						
116A Girls Bath Sink 2		4/13/21	707	G	DW						
116A Girls Bath Sink 3		4/13/21	707	G	DW						
116A Girls Bath Sink 4		4/13/21	707	G	DW						
116B Boys Bath Sink 1		4/13/21	709	G	DW						
116B Boys Bath Sink 2		4/13/21	709	G	DW						
116B Boys Bath Sink 3		4/13/21	709	G	DW						
Bottle Fill Outside 116A		4/13/21	711	G	DW						
Water Cooler Outside 116A		4/13/21	711	G	DW						
Bottle Fill Outside 116B		4/13/21	711	G	DW						
Water Cooler Outside 116B		4/13/21	711	G	DW						
Nurse's Office Small Bath Sink		4/13/21	712	G	DW						
Nurse's Office Sink		4/13/21	712	G	DW						
Nurse's Office Large Bath Sink		4/13/21	713	G	DW						
Boys Locker Rm Sink by Entrance		4/13/21	717	G	DW						
Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle										Container Type P	
Size Code: 1=1 Liter, 2=250 mL, 3=125 mL, 4=40 mL, 5=Gallon, 6=Half Gallon, 7=Other										Container Size 2	
Preservation Added Upon Receipt:		Date:		Time:		Sample # (s):					
Manufacturer/Lot #:											
Relinquished by: <i>[Signature]</i>		Date/Time: 4/13/21 1131		Company: <i>[Signature]</i>		Received by: <i>[Signature]</i>		Date/Time: 4/13/21 1131		Company: <i>[Signature]</i>	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:	
ICE Present: Δ Yes <input checked="" type="checkbox"/> No	Custody Seal No.:			Custody Seals Intact: Yes <input checked="" type="checkbox"/> No	Page 78 of 81	Cooler Temperature(s) °C/IR GUN #: 22.8° U				06/24/2021	

EnviroTest Laboratories, LLC

315 Fullerton Avenue
Newburgh, NY 12550
Phone (845) 562-0890 Fax (845) 562-0841

Chain of Custody Record



Client Information		Sampler: C Fischer/G Gardner		Lab PM:		Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):		JOB #: 195555 5 & 5					
Client Contact: C Fischer		Phone: 845 255-1400 X1361		E-Mail:									
Company: New Paltz Central School District C/OUlster BOCES				Analysis Requested						Page: 5 of 5			
Address: 196 Main Street		Due Date Requested:		Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) Chlorine Present (Yes or No) Lead (DW 200.8)				Total Number of Containers		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - H2SO4 F - MeOH G - NH4CL H - Ascorbic Acid I - Ice J - DI Water K - Sodium Thiosulfate L - EDA M - Sodium Sulfitte N - None O - MCAA P - Other (specify)			
City: New Paltz		TAT Requested (days):								Other:		Upon Receipt Preservation verified: Y / N	
State, Zip: NY, 12561		PO #:								Special Instructions/Note:			
Phone: 845-255-1400 X1361		PWS #:											
Email: cfischer@ulsterboces.org		Project #:											
Project Name: Ulster BOCES		Additional Contacts: Please Email Results to both: & ggardner@newpaltz.k12.ny.us											
Site: New Paltz High School		cfischer@ulsterboces.org											
Sample Identification Client ID (Lab ID)		Sample Date								Sample Time		Sample Type (C=comp, G=grab)	
216W Sink 1		4/13/21		736		G		DW		X			
216W Sink 4		4/13/21		737		G		DW		X			
Water Cooler Outside 216A		4/13/21		737		G		DW		X			
216M Sink 1		4/13/21		738		G		DW		X			
216M Sink 2		4/13/21		738		G		DW		X			
216M Sink 3		4/13/21		739		G		DW		X			
232 Sink		4/13/21		742		G		DW		X			
Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle										Container Type P			
Size Code: 1=Liter, 2=250 mL, 3=125 mL, 4=40 mL, 5=Gallon, 6=Half Gallon, 7=Other										Container Size 2			
Preservation Added Upon Receipt:		Date:		Time:		Sample # (s):							
Manufacturer/Lot #:													
Relinquished by: <i>[Signature]</i>		Date/Time: 4/20/21 1131		Company: ulsterboces		Received by: <i>[Signature]</i>		Date/Time: 4/20/21 1131		Company: ETL			
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:			
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:			
ICE Present: Δ Yes <input checked="" type="checkbox"/> No		Custody Seal No.:		Custody Seals Intact: Yes Δ No		Page 30 of 31		Cooler Temperature(s) °C/IR GUN #: 72.8 °C		06/24/2021			

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Ulster BOCES

Job Number: 420-195555-1
SDG Number: New Paltz High School

Login Number: 195555

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	22.8 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	Method does not require cooling
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	