Time	Essential Questions/Content	Standards/Skills	Assessments
September - October	<ul> <li>Unit 1: The Number System</li> <li>How do you interpret quotients of fractions?</li> <li>How do you divide multi-digit numbers?</li> <li>What is greatest common factor?</li> <li>What are positive and negative numbers?</li> <li>What is a rational number?</li> <li>How is a number line used?</li> <li>What is a coordinate plane?</li> <li>What is an ordered pair?</li> <li>What is the absolute value of rational numbers?</li> <li>How do you write inequalities using a number line?</li> <li>How do you write inequalities using a number line?</li> <li>How do you write inequalities using a number line?</li> <li>How do you write inequalities using a number line?</li> <li>How do you write inequalities using a number line?</li> <li>How is absolute value used to distinguish comparisons regarding order?</li> <li>What is the difference between the absolute value of 2 coordinates?</li> <li>Apply and extend previous understandings of multiplication and division to divide fractions by fractions.</li> <li>Compute fluently with multi-digit numbers and find common factors and multiples.</li> <li>Apply and extend previous understandings of numbers to the system of rational numbers and find common factors and multiples.</li> </ul>	<ul> <li>Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem. For example, create a story context for (2/3) ÷(3/4) and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that (2/3) ÷(3/4) = 8/9 because <sup>3</sup>/4 of 8/9 is 2/3. (In general, (a/b) ÷(c/d) - ad/bc. How much chocolate will each person get if 3 people share 1/2 lb. of chocolate equally? How many 3/4 - cup servings are in 2/3 of a cup of yogurt? How wide is a rectangular strip of land with length 3/4 miles and area <sup>1</sup>/<sub>2</sub> square mi?</li> <li>Fluently divide multi-digit numbers using the standard algorithm,</li> <li>Fluently add, subtract, multiply, and divide multi-digit decimals using the standard algorithm for each operation.</li> <li>Find the greatest common factor of two whole numbers less than or equal to 100 and the least common multiple of two whole numbers less than or equal to 100 and the loast common factor. For example, express 36 + 8 as 4(9+2). (Expectations for unit rates in this grade are limited to non-complex fractions.)</li> <li>Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, credits/debits, positive/negative electric charge); use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation.</li> </ul>	<ul> <li>Prep tasks</li> <li>Skills checks</li> <li>Observation</li> <li>Quizzes</li> <li>Summative assessment</li> </ul>

Time	<b>Essential Questions/Content</b>	Standards/Skills	Assessments
		<ul> <li>Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates.         <ul> <li>Recognize opposite on opposite sides of 0 on the number line; recognize that the opposite of the opposite of a number is the number itself, e.g., -(-3) = 3, and that 0 is its own opposite.</li> <li>Understand signs of numbers in ordered pairs as indicating locations in quadrants of the coordinate plane; recognize that when two ordered pairs differ only by signs, the locations of the points are related by reflections across one or both axes.</li> <li>Find and position integers and other rational numbers on a horizontal or vertical number line diagram; find and position pairs of integers and</li> </ul> </li> </ul>	
		<ul> <li>other rational numbers on a coordinate plane.</li> <li>Understand ordering and absolute value of rational</li> </ul>	
		numbers.	
		<ul> <li>Interpret statements of inequality as statements about the relative position of two numbers on a number line diagram. <i>For example, interpret -3</i> &gt; -7 as a statement that -3 is located to the right of -7 on a number line oriented from left to right.</li> <li>Write, interpret, and explain statements of order for rational numbers in real-world contexts. <i>For example, write -3<sub>o</sub>C &gt; -7<sub>o</sub>C to express the fact that -3<sub>o</sub>C is warmer than -7<sub>o</sub>C.</i></li> <li>Understand the absolute value of a rational number as its distance from 0 on the number line;</li> </ul>	

Time	Essential Questions/Content	Standards/Skills	Assessments
		<ul> <li>positive or negative quantity in a real-world situation. For example, for an account balance of -30 dollars, write /-30=30 to describe the size of the debt in dollars.</li> <li>Distinguish comparisons of absolute value from statements about order. For example, recognize that an account balance less than -30 dollars represents a debt greater than 30 dollars.</li> <li>Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.</li> </ul>	
November - January	<ul> <li>Unit 2: Ratios and Proportional Relationships</li> <li>What is a ratio?</li> <li>What are equivalent ratios?</li> <li>How do you describe a ratio relationship between two quantities?</li> <li>What is a unit rate?</li> <li>How do you describe the concept of a unit rate in words?</li> <li>How do you use various tables to describe and compare rates and ratios when solving real- world mathematical problems?</li> <li>What is a percent?</li> <li>How do you find a percent of a quantity as a rate per 100?</li> <li>Understand ratio concepts and use ratio reasoning to solve problems.</li> </ul>	<ul> <li>Understand the concept of a ratio and use ratio language to describe a ratio relationship between two quantities. For example, "The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every 2 wings there was 1 beak." "For every vote candidate A received, candidate C received nearly three votes."</li> <li>Understand the concept of a unit rate a/b associated with a ratio a:b with b≠0, and use rate language in the context of a ratio relationship. For example, "This recipe has a ratio of 3 cups of flour to 4 cups of sugar, so there is <sup>3</sup>/<sub>4</sub> cup of flour for each cup of sugar." "We paid \$75 for 15 hamburgers, which is a rate of \$5 per hamburger."</li> <li>Use ratio and rate reasoning to solve real-world and mathematical problems, e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations.</li> </ul>	<ul> <li>Prep tasks</li> <li>Skills checks</li> <li>Observation</li> <li>Quizzes</li> <li>Summative assessment</li> </ul>

Time	Essential Questions/Content	Standards/Skills	Assessments
		<ul> <li>Make tables of equivalent ratios relating quantities with whole-number measurements, find missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios.</li> <li>Solve unit rate problems including those involving unit pricing and constant speed. <i>For example, if it took 7 hours to mow 4 lawns, then at that rate, how many lawns could be mowed in 75 hours? At what rate were lawns being mowed?</i></li> <li>Find a percent of a quantity as a rate per 100 (e.g., 30% of a quantity means 30/100 times the quantity); solve problems involving finding the whole, given a part and the percent.</li> <li>Use ratio reasoning to convert measurement units; manipulate and transform units appropriately when multiplying or dividing quantities.</li> </ul>	
February - March	<ul> <li>Unit 3: Expressions and Equations</li> <li>What does evaluate mean?</li> <li>What is an expression?</li> <li>What are exponents?</li> <li>How do you write, read, and evaluate expressions when letters stand for numbers?</li> <li>How do you use numbers and letters to represent written expressions?</li> <li>How do you define: <ul> <li>sum?</li> <li>term?</li> <li>product?</li> </ul> </li> </ul>	<ul> <li>Write and evaluate numerical expressions involving whole-number exponents.</li> <li>Write, read, and evaluate expressions in which letters stand for numbers.         <ul> <li>Write expressions that record operations with numbers and with letters standing for numbers. <i>For example, express the calculation "Subtract y from 5" as 5-y.</i></li> <li>Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, coefficient); view one or more parts of an expression as a single entity. <i>For example, describe the expression 2 (8+7) as a product of</i></li> </ul> </li> </ul>	<ul> <li>Prep tasks</li> <li>Skills checks</li> <li>Observation</li> <li>Quizzes</li> <li>Summative assessment</li> </ul>

Time	Essential Questions/Content	Standards/Skills	Assessments
	<ul> <li>factor?</li> <li>quotient?</li> <li>coefficient?</li> <li>What is the order of operations?</li> <li>What are and how do you apply properties of operations?</li> <li>How do you identify when expressions are equivalent?</li> <li>What is an inequality?</li> <li>What is a variable?</li> <li>How do you write different types of inequalities to represent a constraint or condition in a real world problem?</li> <li>What is a dependent variable? An independent variable?</li> <li>How do you use graphs and tables to analyze the relationship between dependent and independent variables?</li> <li>Apply and extend previous understandings of arithmetic to algebraic expressions.</li> <li>Reason about and solve one-variable equations and inequalities.</li> <li>Represent and analyze quantitative relationships between dependent variables.</li> </ul>	<ul> <li>two factors; view (8+7) as both a single entity and a sum of two terms.</li> <li>Evaluate expressions at specific values of their variables. Include expressions that arise from formulas used in real-world problems. Perform arithmetic operations, including those involving whole-number exponents, in the conventional order when there are no parentheses to specify a particular order (Order of Operations). For example, use the formulas V = s<sup>3</sup> and A = s<sup>2</sup> to find the volume and surface area of a cube with sides of length s = <sup>1</sup>/<sub>2</sub>.</li> <li>Apply the properties of operations to generate equivalent expressions. For example, apply the distributive property to the expression 3(2+x) to produce the equivalent expression 6 + 3x; apply the distributive property to the expression 6(4x+3y); apply properties of operations to y + y + y to produce the equivalent expressions same the same number regardless of which value is substituted into them). For example, the expressions y + y + y and 3y are equivalent because they name the same number regardless of which number y stands for.</li> <li>Understand solving an equation or inequality as a process of answering a question: which values from a specified set, if any, make the equation or inequality true? Use substitution to determine whether a given number in a specified set makes an equation or inequality true.</li> <li>Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown</li> </ul>	

Time	Essential Questions/Content	Standards/Skills	Assessments
		<ul> <li>number, or, depending on the purpose at hand, any number in a specified set.</li> <li>Solve real-world and mathematical problems by writing and solving equations of the form x+p=q and px = q for cases in which p, q, and x are all non-negative rational numbers.</li> <li>Write an inequality of the form x &gt; c or x &lt; c to represent a constraint or condition in a real-world or mathematical problem. Recognize that inequalities of the form x &gt; c or x &lt; c to represent solutions of such inequalities on number line diagrams.</li> <li>Use variables to represent two quantities in a real-world problem that change in relationship to one another; write an equation to express one quantity, thought of as the dependent variable, in terms of the other quantity, thought of as the independent variable. Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation. For example, in a problem involving motion at constant speed, list and graph ordered pairs of distances and times, and write the equation d = 65t to represent the relationship between distance and time.</li> </ul>	
April	<ul> <li>Unit 4: Geometry</li> <li>What is area?</li> <li>How do you find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes in real world problems?</li> <li>What is volume?</li> <li>Is finding volume of right rectangular prisms</li> </ul>	•	

Time	Essential Questions/Content	Standards/Skills	Assessments
	<ul> <li>with fractional lengths by measuring with cubes the same as applying a given formula?</li> <li>How do you draw polygons on a coordinate graph with specific vertices?</li> <li>Solve real-world and mathematical problems involving area, surface area, and volume.</li> </ul>	<ul> <li>Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques in the context of solving real-world and mathematical problems.</li> <li>Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Apply the formulas V = l w h and V = b h to find volumes of right rectangular prisms with fractional edge lengths in the context of solving real-world and mathematical problems.</li> <li>Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques in the context of solving real-world and mathematical problems.</li> <li>Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.</li> </ul>	<ul> <li>Prep tasks</li> <li>Skills checks</li> <li>Observation</li> <li>Quizzes</li> <li>Summative assessment</li> </ul>
May - June	<ul> <li>Unit 5: Statistics and Probability</li> <li>What is a statistical question?</li> <li>How can I represent data to a statistical question?</li> <li>How do you display numerical data in plots on a number line, dot plot, histogram, or box plot?</li> <li>How do you summarize data by reporting observations, describing means of measurement, using quantitative measures, and include findings</li> </ul>	<ul> <li>Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for it in the answers. <i>For example, "How old am I?" is not a statistical question, but "How old are the students in my school?" is a statistical question because one anticipates variability in students' ages.</i></li> <li>Understand that a set of data collected to answer a statistical question has a distribution which can be described by its center, spread, and overall shape.</li> </ul>	<ul> <li>Prep tasks</li> <li>Skills checks</li> <li>Observation</li> <li>Quizzes</li> <li>Summative assessment</li> </ul>

Time	<b>Essential Questions/Content</b>	Standards/Skills	Assessments
•	of patterns? Which measures of center and variability to a shape best describe data distribution? Develop understanding of statistical variability. Summarize and describe distributions.	<ul> <li>Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation describes how its values vary with a single number.</li> <li>Display numerical data in plots on a number line, including dot plots, histograms, and box plots.</li> <li>Summarize numerical data sets in relation to their context, such as by: <ul> <li>Reporting the number of observations.</li> <li>Describing the nature of the attribute under investigation, including how it was measured and its units of measurement.</li> <li>Giving quantitative measures of center (median and/or mean) and variability (interquartile range and/or mean absolute deviation), as well as describing any overall pattern and any striking deviations from the overall pattern with reference to the context in which the data were gathered.</li> <li>Relating the choice of measures of center and variability to the shape of the data distribution and the context in which the data were gathered.</li> </ul> </li> </ul>	